



# Thermal Transfer Ribbon Stocklist

Version 11.7 February 2008


|         |   |
|---------|---|
| Page 2  | Ordering Information/ Returns Procedure |
| Page 3  | Label/Ribbon Compatibility              |
| Page 4  | Outside Wound Stock Sizes               |
| Page 5  | Inside Wound Stock Sizes                |
| Page 6  | Non standard format Stock Sizes         |
| Page 7  | Near Edge Stock Sizes Outside Wound     |
| Page 8  | Near Edge Stock Sizes Inside Wound      |
| Page 9  | Sample Sizes                            |
| Page 10 | Non Stock Size Guidelines               |



ITW Thermal Films UK, Unit 1 Vitruvius Way, Meridian Business Park, Leicester, LE19 1WA  
Tel: 0116 2406400 Fax 0116 2406401 email [sales@itwthermalfilms.co.uk](mailto:sales@itwthermalfilms.co.uk)



## Guide to Label and Ribbon Compatibility



*This information is intended as a guide only.*

## Ordering Information

PLEASE FAX/EMAIL ALL ORDERS

Fax: 0116 2406401

Email: sales@itwthermalfilms.co.uk

Unfortunately we can not accept verbal orders.



### Placing Orders:

- Please fax/email all orders to 0116 2406401 - sales@itwthermalfilms.co.uk
- Please use our part numbers when placing your orders
- All faxed orders shall be acknowledged with 2 hours. **IF YOU DO NOT RECEIVE A CONFIRMATION WITHIN THIS TIME, PLEASE CONTACT US ON 0116 2406400, IT IS LIKELY THAT WE HAVE NOT RECEIVED YOUR ORDER.**
- All stock size orders placed **before 3.30 pm** are available for NEXT DAY SHIPPING. All **PALLET** shipment orders must be received by **12 NOON** to guarantee same day shipping (normally shipments over 15 boxes).
- We only ship full box quantities. All orders will be rounded up to nearest box quantity.
- Please refuse any deliveries that are visibly damaged as once they are signed for, we may not be able to credit or replace.

Stock items are available for next day delivery (current stock permitting).

DIRECT SHIPPING can be made to your customers under plain cover.

Next day deliveries will be with you before 5.30pm.

### Carriage Charge:

An £11.00 carriage charge shall be applied to all shipments within mainland UK that are under £500.00.

For timed deliveries or for those outside of the UK please call: 0116 2406400 for a quote. Please advise the destination postcode when calling.

### Returns:

We have a returns procedure that must be followed in order for us to accept any goods back. Please call Jamie on 0116 2406402 to report the issue. Testing will then be carried out and a Goods Return Number (GRN) issued if necessary. A 10% handling charge and carriage costs shall be deducted from any credit for customer error/ unwanted goods.

**SPECIAL MAKE ITEMS CAN NOT BE RETURNED - PLEASE ENSURE THAT MATERIAL TESTS ARE COMPLETED BEFORE ORDERING.**

### Proof of Deliveries:

Proof of delivery can be provided for a period of 45 days after shipment.

### Samples:

We have a range of samples for your testing, available FREE OF Charge. Please see the list on page 9 and call with your requirements.

### Please note

Items that are highlighted in grey are currently under review. Due to low volume sales, these may be removed from the next issue stock list. Please advise if this causes you issue.

|                                |                   |
|--------------------------------|-------------------|
| <b>THERMAL TRANSFER RIBBON</b> | <b>STOCK LIST</b> |
|--------------------------------|-------------------|

**INK COATED OUTSIDE WOUND**

**B220 RESIN ENHANCED WAX**

**New**  
**New**  
**New**  
**New**  
**New**

| WIDTH (MM) | LENGTH (M) | M2    | BOX QTY | PRODUCT CODE | PRINTERS  |
|------------|------------|-------|---------|--------------|---|
| 50         | 300        | 15.00 | 30      | B220-ZE05030 | Avery ALS (300m) Eltron TLP (300m)<br>Markem LP (300m)<br>Markem MP (300m)<br>Carl Valentin (300m)<br>Tec B63 |
| 60         | 300        | 18.00 | 15      | B220-ZE06030 |   |
| 70         | 300        | 21.00 | 15      | B220-ZE07030 |   |
| 80         | 300        | 24.00 | 15      | B220-ZE08030 |   |
| 90         | 300        | 27.00 | 15      | B220-ZE09030 |   |
| 104        | 300        | 31.20 | 15      | B220-ZE10430 |   |
| 110        | 300        | 33.00 | 15      | B220-ZE11030 |   |
| 150        | 300        | 45.00 | 15      | B220-ZE15030 |   |
| 170        | 300        | 51.00 | 15      | B220-ZE17030 |   |
| 220        | 300        | 66.00 | 15      | B220-ZE22030 |   |

|     |     |       |    |              |   |
|-----|-----|-------|----|--------------|---|
| 40  | 450 | 18.00 | 24 | B220-ZE04045 | Brady 203<br>Graham UBI<br>195/196 Ring<br>RJS Weber<br>80/81 Willett 2603<br>ZEBRA |
| 50  | 450 | 22.50 | 24 | B220-ZE05045 |   |
| 65  | 450 | 29.25 | 24 | B220-ZE06545 |   |
| 83  | 450 | 37.35 | 12 | B220-ZE08345 |   |
| 90  | 450 | 40.50 | 12 | B220-ZE09045 |   |
| 104 | 450 | 46.80 | 12 | B220-ZE10445 |   |
| 110 | 450 | 49.50 | 12 | B220-ZE11045 |   |
| 130 | 450 | 58.50 | 12 | B220-ZE13045 |   |
| 155 | 450 | 69.75 | 12 | B220-ZE15545 |   |
| 165 | 450 | 74.25 | 12 | B220-ZE16545 |   |
| 174 | 450 | 78.30 | 12 | B220-ZE17445 |   |
| 220 | 450 | 99.00 | 12 | B220-ZE22045 |   |

\* Please note - Ribbon wound on flush cardboard core.

**B121 PREMIUM WAX RESIN**

| WIDTH (MM) | LENGTH (M) | M2    | BOX QTY | PRODUCT CODE | PRINTERS  |
|------------|------------|-------|---------|--------------|---|
| 40         | 300        | 12.00 | 30      | B121-ZE04030 | Avery ALS (300m) Eltron TLP (300m)<br>Markem LP (300m)<br>Markem MP (300m)<br>Carl Valentin (300m)<br>Tec B63 |
| 60         | 300        | 18.00 | 30      | B121-ZE06030 |   |
| 80         | 300        | 24.00 | 15      | B121-ZE08030 |   |
| 90         | 300        | 27.00 | 15      | B121-ZE09030 |   |
| 104        | 300        | 31.20 | 15      | B121-ZE10430 |   |
| 110        | 300        | 33.00 | 15      | B121-ZE11030 | Brady 203<br>Graham UBI<br>195/196 Ring<br>JS Weber<br>80/81 Willett 2603<br>ZEBRA                            |
| 130        | 300        | 39.00 | 15      | B121-ZE13030 |   |
| 155        | 300        | 46.50 | 15      | B121-ZE15530 |   |
| 170        | 300        | 51.00 | 15      | B121-ZE17030 |   |
| 110        | 450        | 49.50 | 12      | B121-ZE11045 |   |

\* Please note - Ribbon wound on flush cardboard core.

**B324 ULTRA PREMIUM FULL RESIN**

| WIDTH (MM) | LENGTH (M) | M2    | BOX QTY | PRODUCT CODE | PRINTERS      |
|------------|------------|-------|---------|--------------|---------------|
| 76         | 300        | 22.80 | 15      | B324-ZE07630 | OUTSIDE WOUND |
| 110        | 300        | 33.00 | 15      | B324-ZE11030 |               |
| 165        | 300        | 49.50 | 15      | B324-ZE16530 |               |

\* Please note - Ribbon wound on flush cardboard core.



|                                |                   |
|--------------------------------|-------------------|
| <b>THERMAL TRANSFER RIBBON</b> | <b>STOCK LIST</b> |
|--------------------------------|-------------------|

**INK COATED INSIDE WOUND**

| <b>B220 RESIN ENHANCED WAX</b> |            |       |         |              |  |
|--------------------------------|------------|-------|---------|--------------|--|
| WIDTH (MM)                     | LENGTH (M) | M2    | BOX QTY | PRODUCT CODE | PRINTERS   |
| 38                             | 360        | 13.68 | 30      | B220-FA03836 | Avery SPX/TTX<br>CAB Fargo<br>Prodigy (360m)<br>Intermec Easycoder<br>MPH<br>Novexx Cobra<br>Sato Soabar<br>360/362<br>Datamax Weber<br>75/76 Willett<br>8400/8450 |
| 50                             | 360        | 18.00 | 30      | B220-FA05036 |  |
| 55                             | 360        | 19.80 | 30      | B220-FA05536 |  |
| 64                             | 360        | 23.04 | 30      | B220-FA06436 |  |
| 76                             | 360        | 27.36 | 15      | B220-FA07636 |  |
| 83                             | 360        | 29.88 | 15      | B220-FA08336 |  |
| 90                             | 360        | 32.40 | 15      | B220-FA09036 |  |
| 104                            | 360        | 37.44 | 15      | B220-FA10436 |  |
| 110                            | 360        | 39.60 | 15      | B220-FA11036 |  |
| 114                            | 360        | 41.04 | 15      | B220-FA11436 |  |
| 76                             | 450        | 34.20 | 12      | B220-DA07645 | Avery SPX/TTX<br>Intermec Easycoder<br>Datamax   |
| 110                            | 450        | 49.50 | 12      | B220-DA11045 |  |
| 130                            | 450        | 58.50 | 12      | B220-DA13045 |  |
| 155                            | 450        | 69.75 | 12      | B220-DA15545 |  |
| 165                            | 450        | 74.25 | 12      | B220-DA16545 |  |
| 216                            | 450        | 97.20 | 12      | B220-DA21645 |  |

\* Please note - Ribbons are wound flush on a cardboard core.

| <b>B121 PREMIUM WAX RESIN</b> |            |       |         |              |  |
|-------------------------------|------------|-------|---------|--------------|--|
| WIDTH (MM)                    | LENGTH (M) | M2    | BOX QTY | PRODUCT CODE | PRINTERS   |
| 40                            | 360        | 14.40 | 30      | B121-FA04036 | Avery SPX/TTX<br>CAB<br>Fargo Prodigy (360m)<br>Intermec Easycoder<br>MPH<br>Novexx Cobra<br>Sato<br>Soabar 360/362<br>Datamax<br>Weber 75/76 Willett<br>8400/8450 |
| 60                            | 360        | 21.60 | 30      | B121-FA06036 |  |
| 70                            | 360        | 21.00 | 15      | B121-FA07036 |  |
| 80                            | 360        | 28.80 | 15      | B121-FA08036 |  |
| 90                            | 360        | 32.40 | 15      | B121-FA09036 |  |
| 104                           | 360        | 37.44 | 15      | B121-FA10436 |  |
| 110                           | 360        | 39.60 | 15      | B121-FA11036 |  |
| 130                           | 360        | 46.80 | 15      | B121-FA13036 |  |
| 155                           | 360        | 55.80 | 15      | B121-FA15536 |  |
| 170                           | 360        | 61.20 | 15      | B121-FA17036 |  |

\* Please note - Ribbons are wound flush on a cardboard core.

| <b>B324 ULTRA PREMIUM FULL RESIN</b> |            |       |         |              |              |
|--------------------------------------|------------|-------|---------|--------------|--------------|
| WIDTH (MM)                           | LENGTH (M) | M2    | BOX QTY | PRODUCT CODE | PRINTERS     |
| 76                                   | 360        | 27.36 | 15      | B324-FA07636 | INSIDE WOUND |
| 114                                  | 360        | 41.04 | 15      | B324-FA11436 |              |
| 165                                  | 360        | 59.40 | 15      | B324-FA16536 |              |

\* Please note - Ribbons are wound flush on a cardboard core.



|                                |                   |
|--------------------------------|-------------------|
| <b>THERMAL TRANSFER RIBBON</b> | <b>STOCK LIST</b> |
|--------------------------------|-------------------|

**NON STANDARD FORMAT PRINTERS**

| <b>B220 RESIN ENHANCED WAX</b> |            |    |         |              |          |
|--------------------------------|------------|----|---------|--------------|----------|
| WIDTH (MM)                     | LENGTH (M) | M2 | BOX QTY | PRODUCT CODE | PRINTERS |

| <b>INTERMEC 3400</b> |     |       |    |              |  |
|----------------------|-----|-------|----|--------------|--|
| 104                  | 155 | 16.12 | 28 | B220-IN10415 | Intermec 3400, 3440,<br>3240, 3600, 8646 |
| 153                  | 155 | 23.72 | 28 | B220-IN15315 |  |

\* Please note - Ribbons are wound flush on a notched cardboard core.

| <b>SATO AND OTHER INSIDE WOUND PRINTERS</b> |     |       |    |              |            |
|---|-----|-------|----|--------------|------------|
| 110   | 210 | 23.10 | 22 | B220-SA11021 | Sato M4500 |

| <b>TEC B452</b> |     |       |    |              |                     |
|-----------------|-----|-------|----|--------------|---------------------|
| 110             | 300 | 33.00 | 15 | B220-TE11030 | Tec B452, B442, SA4 |

\* Please note - Ribbon centered on 118mm cardboard notched core. I take up core provided in box

| <b>TEC B852</b> |     |       |    |              |          |
|-----------------|-----|-------|----|--------------|----------|
| 160             | 300 | 48.00 | 15 | B220-TE16030 | Tec B852 |
| 220             | 300 | 66.00 | 15 | B220-TE22030 |          |

\* Please note - Ribbon centered on 238mm cardboard notched core. I take up core provided in box

| <b>ELTRON - 13MM CORES</b> |    |      |    |                |  |
|----------------------------|----|------|----|----------------|--|
| 110                        | 74 | 8.14 | 24 | B430-HI11074CO |  |

\* Please note - Ribbon centered on 110mm cardboard 13mm inner diameter core. 2 notches at each end



|                                |                   |
|--------------------------------|-------------------|
| <b>THERMAL TRANSFER RIBBON</b> | <b>STOCK LIST</b> |
|--------------------------------|-------------------|

## NEAR EDGE PRINTERS OUTSIDE WOUND

| OUTSIDE WOUND PRINTERS - TOSHIBA TEC |            |       |         |              |  |
|--------------------------------------|------------|-------|---------|--------------|--|
| B112 PREMIUM NEAR EDGE WAX RESIN     |            |       |         |              |  |
| WIDTH (MM)                           | LENGTH (M) | M2    | BOX QTY | PRODUCT CODE | PRINTERS   |
| 56                                   | 600        | 33.60 | 20      | B112-TE05660 | Tec B372, B472, B572<br>Stielow Eltron /<br>Qualabar 440, 450, 485 |
| 68                                   | 600        | 40.80 | 20      | B112-TE06860 |  |
| 76                                   | 600        | 45.60 | 20      | B112-TE07660 |  |
| 84                                   | 600        | 50.40 | 20      | B112-TE08460 |  |
| 89                                   | 600        | 53.40 | 10      | B112-TE08960 |  |
| 102                                  | 600        | 61.20 | 10      | B112-TE10260 |  |
| 114                                  | 600        | 68.40 | 10      | B112-TE11460 |  |
| 134                                  | 600        | 80.40 | 10      | B112-TE13460 |  |

\* Please note - Ribbon wound on flush cardboard core. With take up core.

|     |     |       |    |              |  |
|-----|-----|-------|----|--------------|--|
| 115 | 300 | 34.50 | 16 | B112-TE11530 | Tec B672, B682, B872, B882<br>Stielow Eltron /<br>Qualabar 485 |
| 138 | 300 | 41.40 | 16 | B112-TE13830 |  |
| 160 | 300 | 48.00 | 16 | B112-TE16030 |  |
| 220 | 300 | 66.00 | 16 | B112-TE22030 |  |

\* Please note - Ribbon centered on 228mm cardboard notched core (2 each end). With take up core.

| OUTSIDE WOUND PRINTERS - ICE ZODIAC |            |       |         |              |            |
|-------------------------------------|------------|-------|---------|--------------|------------|
| B112 PREMIUM NEAR EDGE WAX RESIN    |            |       |         |              |            |
| WIDTH (MM)                          | LENGTH (M) | M2    | BOX QTY | PRODUCT CODE | PRINTERS   |
| 30                                  | 1000       | 30.00 | 32      | B112-IC03010 | ICE ZODIAC |
| 55                                  | 1000       | 55.00 | 24      | B112-IC05510 |            |
| 110                                 | 600        | 66    | 10      | B112-IC11060 |            |

\* Please note - Ribbon flush wound on plastic core. With take up core.

**NEW**

|                                |                   |
|--------------------------------|-------------------|
| <b>THERMAL TRANSFER RIBBON</b> | <b>STOCK LIST</b> |
|--------------------------------|-------------------|

**NEAR EDGE PRINTERS INSIDE WOUND**

**INSIDE WOUND PRINTERS - AVERY, NOVEXX, MARKEM SMARTDATE**

**B112 PREMIUM NEAR EDGE WAX RESIN**

| WIDTH (MM) | LENGTH (M) | M2    | BOX QTY | PRODUCT CODE | PRINTERS   |
|------------|------------|-------|---------|--------------|--|
| 40         | 600        | 24.00 | 30      | B112-SM04060 | Avery ALX 924, TTX series, TDI<br>Novexx Lion, Tiger, Xtreme, Puma, Chess, PA146<br>Soabar S64, S45, S65 |
| 55         | 600        | 33.00 | 30      | B112-SM05560 |  |
| 80         | 600        | 48.00 | 20      | B112-NO08060 |  |
| 104        | 600        | 62.40 | 10      | B112-NO10460 |  |
| 130        | 600        | 78.00 | 10      | B112-NO13060 |  |
| 160        | 600        | 96.00 | 10      | B112-NO16060 |  |

\* Please note - Ribbon wound on flush cardboard core. With take up core attached

|    |     |       |    |              |                              |
|----|-----|-------|----|--------------|------------------------------|
| 25 | 600 | 15.00 | 50 | B112-SM02560 | Markem<br>Smartdate 2, 2c, 3 |
| 35 | 600 | 21.00 | 40 | B112-SM03560 |                              |
| 40 | 600 | 24.00 | 30 | B112-SM04060 |                              |
| 45 | 600 | 27.00 | 30 | B112-SM04560 |                              |
| 55 | 600 | 33.00 | 30 | B112-SM05560 |                              |

\* Please note - Ribbon wound on flush cardboard core. With take up core attached

**B730 FLEXI NEAR EDGE WAX RESIN**

| WIDTH (MM) | LENGTH (M) | M2    | BOX QTY | PRODUCT CODE  | PRINTERS           |
|------------|------------|-------|---------|---------------|--------------------|
| 35         | 600        | 24.75 | 40      | B730-SMP03560 | Smartdate 2, 2c, 3 |
| 55         | 600        | 24.75 | 30      | B730-SMP05560 | Smartdate 2, 2c, 3 |

\* Please note - Ribbon wound on flush plastic core. With take up core attached

|    |     |       |    |               |             |
|----|-----|-------|----|---------------|-------------|
| 55 | 900 | 49.50 | 24 | B730-SMP05590 | Smartdate 5 |
|----|-----|-------|----|---------------|-------------|

**NEW**

|     |     |       |    |              |   |
|-----|-----|-------|----|--------------|---|
| 55  | 450 | 24.75 | 20 | B730-SM05545 | Easyprint IM2 CM2<br>Graesby Allen TT53 |
| 110 | 450 | 49.50 | 12 | B730-SM11045 |   |

\* Please note - Ribbon wound on flush cardboard core. With take up core attached



**SAMPLE SIZES**

| <b>B220 RESIN ENHANCED WAX</b> |     |              |                     |     |              |
|--------------------------------|-----|--------------|---------------------|-----|--------------|
| <b>OUTSIDE WOUND</b>           |     |              | <b>INSIDE WOUND</b> |     |              |
| 55mm                           | 50m | B220-ZE05505 | 55mm                | 50m | B220-FA05505 |
| 110mm                          | 50m | B220-ZE11005 | 110mm               | 50m | B220-FA11005 |
| 165mm                          | 50m | B220-ZE16505 | 165mm               | 50m | B220-FA16505 |

\* Please note - Both inside & outside samples are wound flush on a cardboard core.

| <b>B121 PREMIUM WAX RESIN</b> |     |              |                     |     |              |
|-------------------------------|-----|--------------|---------------------|-----|--------------|
| <b>OUTSIDE WOUND</b>          |     |              | <b>INSIDE WOUND</b> |     |              |
| 55mm                          | 50m | B121-ZE05550 | 55mm                | 50m | B121-FA05550 |
| 110mm                         | 50m | B121-ZE11050 | 110mm               | 50m | B121-FA11050 |
| 165mm                         | 50m | B121-ZE16550 | 165mm               | 50m | B121-FA16550 |

\* Please note - Both inside & outside samples are wound flush on a cardboard core.

**N  
E  
W**

| <b>B120 SUPREME WAX RESIN</b> |     |              |                     |     |              |
|-------------------------------|-----|--------------|---------------------|-----|--------------|
| <b>OUTSIDE WOUND</b>          |     |              | <b>INSIDE WOUND</b> |     |              |
| 55mm                          | 50m | B120-ZE05550 | 55mm                | 50m | B120-FA05550 |
| 110mm                         | 50m | B120-ZE11050 | 110mm               | 50m | B120-FA11050 |
| 165mm                         | 50m | B120-ZE16545 | 165mm               | 50m | B120-FA16550 |

\* Please note - Both inside & outside samples are wound flush on a cardboard core.

| <b>B324 ULTRA PREMIUM FULL RESIN FLAT HEAD</b> |     |              |                     |     |              |
|--|-----|--------------|---------------------|-----|--------------|
| <b>OUTSIDE WOUND</b>                           |     |              | <b>INSIDE WOUND</b> |     |              |
| 110mm  | 50m | B324-ZE11005 | 110mm               | 50m | B324-FA11005 |

\* Please note - Both inside & outside samples are wound flush on a cardboard core.

| <b>B831 ULTRA PREMIUM FULL RESIN NEAR EDGE</b> |      |              |                     |      |              |
|--|------|--------------|---------------------|------|--------------|
| <b>OUTSIDE WOUND</b>                           |      |              | <b>INSIDE WOUND</b> |      |              |
| 55mm   | 200m | B831-TE05520 | 55                  | 200m | B831-TE05520 |

\* Please note - Both inside & outside samples are wound flush on a cardboard core.

| <b>B112 PREMIUM NEAR EDGE WAX RESIN</b> |     |              |                     |     |              |
|---|-----|--------------|---------------------|-----|--------------|
| <b>OUTSIDE WOUND</b>                    |     |              | <b>INSIDE WOUND</b> |     |              |
| 84mm                                    | 50m | B112-TE08405 | 55mm                | 50m | B112-SM05505 |
| 114mm                                   | 50m | B112-TE14405 | 104mm               | 50m | B112-NO10405 |
| 134mm                                   | 50m | B112-TE13405 | 160mm               | 50m | B112-NO16005 |

\* Please note - samples are wound on flush cardboard core. With take up core.

|       |     |              |
|-------|-----|--------------|
| 160mm | 50m | B112-TE16005 |
| 220mm | 50m | B112-TE22005 |

\* Please note - Ribbon centered on 228mm cardboard notched core. With take up core.

|                                |                   |
|--------------------------------|-------------------|
| <b>THERMAL TRANSFER RIBBON</b> | <b>STOCK LIST</b> |
|--------------------------------|-------------------|

**Rules for Special Items**

We can manufacture special size ribbons for almost all thermal transfer printers that are available in the market place. The following rules apply for special sizes with the lengths listed below:

| Wound   | B220  | B121  | B324  | B112  | B730  |
|---------|-------|-------|-------|-------|-------|
| Outside | 300 m | 300 m | 300 m | 600 m | 450 m |
|         | 450 m | 450 m |       | 300 m | 600 m |
| Inside  | 360 m | 360 m | 360 m | 600 m | 450 m |
|         | 450 m |       |       |       |       |

|                           |  |
|---------------------------|--|
| <b>Wax Ribbons (B220)</b> | <b>Wax Resin Near Edge Ribbons (B112/B730)</b> |
|---------------------------|--|

MOQ = 10,000m2 with a price premium of £0.01m2  
 MOQ = 20,000m2 NO PRICE PREMIUM

**Wax Resin Flat Head (B121)**

MOQ = 5,000m2 with a price premium of £0.01m2  
 MOQ = 10,000 m2 WITH NO PRICE PREMIUM

**Supreme Wax Resin Flat Head (B120)**

Call for: Samples  
 MOQ and Lead Time  
 Prices

**NEW**

**Resin Flat Head and Near Edge (B324/B831)**

MOQ = 50 rolls of each size - please call 0116 2406400 for a quote

FOR ALL LENGTHS NOT LISTED ABOVE - PLEASE CALL 0116 2406400 FOR A QUOTE AND MOQ

All slit ribbons shall be delivered and invoiced +/- 10% of ordered quantity.  
 Lead times on all specials are 10 working days from receipt of order.

**WORKING OUT SQUARE METRES:**

Ribbon width x length  
 e.g 110 mm x 450m  
 0.11 x 450 = 49.5 m2  
 simply multiply this by the quantity required to see if it meets MOQ



**ITW Thermal Films UK, Unit 1 Vitruvius Way, Maridian Business Park, Leicester, LE19 1WA  
 Tel: 0116 2406400 Fax: 0116 2406401 Email: sales @itwthermalfilms.co.uk**